

Poultry Products

ESSENSOL GOLD COMPOSITION:

Advanced formula of essential oils extract with Garlic



PRESENTATION: 1 Ltr

Oregano oil Extract: 25%

(Carvacrol,Limonene,Terpinolene,Menthol)

Garlic Oil Extract : 25%

BENEFITS:

- > Essensol Gold is an unique formulation of extracts of essential oils with garlic oil combined together having strong Anti- viral, anti-bacterial, anti-fungal properties.
- Essensol helps to maintain or improve egg production. Essensol Gold highly useful as a growth promoter and
- performance enhancer in poultry. Fissensol Gold improves immunity and helps to
- enhance performance in Broilers. Lavers and Breeders Essensol Gold helps to secrete digestive Enzymes that helpful for the Digestion.

DOSAGE:

Poultry: 250 gm/ Ton of feed.

During Gastro intestinal infections : 500 gm/ for ton of feed (Or) as advised by a Poultry consultant.

GRO FAST-XL CONTAINS:

An Advanced Formulation of Enzyme Amino acids,Immunostimulants,

Prehintics with Prohintics for Enhancement of Production in Poultry



PRESENTATION: 1 Kg

Enzymes: Protease,Lipase,Hemicellulase,Amylase,Phytase and Xylanase.

Amino Acids: Leucine.Glycine.Valine.Threonine.Tryptophan and Arginine.

mmunostimulants: Beta-carotene, 1-3, 1-6 Beta-glucans. Prebiotics: Fructooligosaccharides, Xylooligosacharides, Lactulose

Probiotics: Lactobacillus & Saccharomyces Species BENEFITS:

- GRO FAST-XL Accelerates weight gain rate phenomenally.
- GRO FAST-XI. Makes hirds more resistant to diseases
- GRO FAST-XL Helps to reduces FCR. GRO FAST-XL Reduces cost of production
- GRO FAST-XL Helps to Keeps intestines free from lesions
- GRO FAST-XI, Improves digestion and digestive system.
- GRO FAST-XL improves digestion and nutrient uptake leading to reduced FCR and cost of production.

DOSAGE :

Broilers: 1 kg per Metric Ton of feed. (Or) as advised by a Poultry consultant.

ACTI-CHOLINE

Unique Combination of Natural Natural Choline Source Choline & Biotin

CONTAINS:

BENEFITS:

- Building and maintaining cell structures.
- > Fat metabolism of the liver.
- Formation of acetylcholine (essential) and Methyl-group do (non-essential) via betaine.
- > Choline is essential for the synthesis of acetylcholine by mitochondria at the presynaptic terminal of the neural synap a substance that makes possible the transmission of nerve
- Optimizes growth.
- Feed Efficiency.
- Prevents Fatty Liver Syndrome and liver functions.
- Enhances fat metabolism

DOSAGE :

500g/ton of Feed

(Or) as advised by a Poultry consultant

> Helps to control the excess moisture in feed.

Traps the toxins but not minerals and vitamin:

> Helps to maintain the nutritional value

Improves the immune status, production, and growth.

> Uniformly and rapidly disperses in the feed while mixing.

Mycotoxin Binder for Animals is Made of High-Quality Vitamin

>Useful in Rumen Dysfunction and Damage Liver due to Mycotoxir

Result and Quality Oriented Cattle Feed Supplement and Poultry

PRESENTATION: 1Kg, 5Kg, 10 Kg & 25 Kg

BIOTOX (FS)

Biological Toxin Binder cum Growth Promoter



PRESENTATION: 1 Kg

CRDNIL

Herbal Extracts for great

relief of Asthma and Cough

PRESENTATION: 1 Kg

CONTAINS:

Rhodococcus ervthropolis Pseudomonas fluorescens Bacillus licheniformis Lactobacillus rhamnosus Bacillus subtilis Saccharomyces cerevisiae

BENEFITS:

- BIOTOX is a special probiotic combination product for
- > Improves the immune status, production, and growth. Helps to maintain the nutritional value and increase the feed efficiency.

CONTAINS:

BENEFITS:

Eeucalyptus globules

Gingeber officinalis

Diseases (CRD)

Microorganisms.

a Poultry consultant.

Syzygium aromaticum

Cinnamomum camphora

Mentha piperita

- neutralizing of toxins. Helps to control the excess moisture in feed.
- > High stability over PH range, Humidity, and Temperature

DOSAGE/ SCHEDULE OF APPLICATION: Routine use: 500 gm to 1kg/ton of feed (or) as Advised by a Poultry consultant.

> It Controls the Chronic Respiratory related

and improves the oxygen intake.

animal immunity against pathogenic

DOSAGE/METHOD OF APPLICATION:

 \succ It provides the big relief to respiratory system

> It acts like an antioxidant agent and improves the

During stress/Mild Infections: 250g - 500g/Metric ton

of feed 5 to 10ml per 1-2 L water(or) as advised by

ASCOR

Vitamin C Supplement to Improve Animal Immunity and Disease Resistance



PRESENTATION: 1 Kg

CONTAINS: Ascorbic Acid

Natural Vitamin Sou RENEFITS:



ASCOR improves animal immunity to some infectious and contagiou diseases and as well as reduces the stress under severe disease and unfavorable environmental conditions

- ASCOR is most suitable to control blood loss in the following conditions (Coccidiosis, Debeaking, Hemorrhagic ulcers in the intestines, Necrotic enteritis and Infectious bursal isease).
- ASCOR involves in collagen biosynthesis to strengthen the bones, muscles, skin, and tendons. ASCOR Combats the Effects of Heat-Stress, Cold-stress and Disease

DOSAGE/METHOD OF APPLICATION:

Chicks & Growers: 5-6g/100 birds/day 7-10 days During Coccidiosis and IBD conditions: 20g/100 birds/day7-10 days (Or) as advised by a Poultry consultant

REDOX

Mould Inhibitor, Mould Killer and Liquid Toxin Binder for Poultry

CONTAINS: Organic Acids

Minerals Choline Chloride

BENEFITS:



Feed Supplement. DOSAGE/FEEDING SCHEDULE :

Increase feed efficiency.

and Supplements.

Poultry (Preventive) 0.5 ml per Ltr. For 3-5 days Curative - 1 ml per Ltr. For 5-7 days

PRESENTATION: 1 Ltr

(Or) as advised by a Poultry consultan

Furaz 25

A Special Furazolidone Remedy

CONTAINS: to Control Mild Infections



PRESENTATION: : 1 Kg

Furazolidone

BENEFITS:

-organisms in animal gut and helps in maintaining of gut health. > FURAZ-25 prevents the infections caused by Bacterial, Fungal and Protozoan parasites.

Feed supplementation of FURAZ-25 controls the loose

> FURAZ-25 effectively controls the pathogenic Micro

droppings enteritis and culls formations in animal

FURAZ-25 improves the egg production in layers and weight gain broilers.

DOSAGE/METHOD OF APPLICATION :

Prevention: 250-300 G/ton of feed - Apply for 5-7 days. Treatment: 600-1000 G/ton of feed - 7-10 days or as advised by a Poultry consultant.

let Weight : 1Kg 📵 🚇 💿 🚳

PRESENTATION: 1 Kg

ELECTROL-WS CONTAINS: Calcium Glaciate

Protects the animals from the

Sodium Chloride Elemental sodium

Dehydration, Anxiety and Stress

Calcium Lactate

ELECTROL-WS protects the animals from the dehydration, anxiety and stress by balancing of all body parameters.

Supplementation of ELECTROL-WS keeps the animal system in

Elemental potassium

Sodium Bicarbonate

Potassium chloride

Sodium Citrate

Ascorbic acid

active condition and helps in rapid growth ELECTROL - Ws improves the appetite and nutrient absorption rate
 Maintenance of fluid balance by adjusting the volume of water

intake, mainly by drinking more or less fluid.

Promotion of neuromuscular function by helping in transmis

of nerve impulse, establishing resting membrane potential, action potentials in nervous and muscle tissue.
Regulation of acid-base balance by maintaining the blood pH

DOSAGE/METHOD OF APPLICATION

in a range of 7.35-7.45

Kg Mixed in each MT of Prepared (Or) as advised by a Poultry consultant.

Magnesium Sulphate

Poultry Products

PHYTEZ

Phytase Enzyme to improve the feed efficiency rate



PRESENTATION: 1 Kg

CONTAINS:

Phytase: 5000 IU

- ightharpoonup PHYTEZ can reduce the anti nutritional effect of phytate and improves the digestibility of phosphorus (P), Calcium, Zinc, Magnesium, amino acids and energy.
- Feed supplementation of PHYTEZ breakdown
- macromolecules to bio available simple nutrients.
- > PHYTEZ enhances the feed intake rate, nutrient utility and improves the weight gain in short period.
- > PHYTEZ minimizes the ammonia formation in animal gut and improves the manure quality.
- > Regular supplementation of PHYTEZ maintains constant animal health, activeness through providing of easy bio available nutrients

DOSAGE/METHOD OF APPLICAITON

Poultry feed: 100-150 g/ton of feed, continuously (or) as advised by a poultry consultant.

ADEK-SPL

Vitamin A.D.E & K Supplement to Eradicate Malnutrition



CONTAINS: Vitamin D3 Vitamin E Vitamin K Vitamin B12 BENEFITS:



- > Regular supplementation of ADEK-SPL corrects all the diseases related to Vitamin deficiency.
- ADEK-SPL provides disease resistance against various diseases causing pathogenic Microorganisms
- ➤ ADEK-SPL reduces the animal running mortalities and improves the animal survival under various conditions also
- ADEK-SPI, enhances the animal health and activeness. DOSAGE:

Broiler, Layer, Breeder: 1-2 gm/L of drinking water – 5-7 days (or) as advised by a Poultry consultant.

PRESENTATION: 1 Kg

ACTI-FERROL

Malt-Based Liquid Iron Supplement for Poultry



Malt Extract Calcium Gluconate Ferric Ammonium Citrate Copper Suplhate Cobalt Chloride

CONTAINS:

Cholecalciferol Niacinamide Folic Acid Cvanocohalamin

BENEFITS: Anaemia, General debility, Stunted growth, Iron deficiency, Rickets & Osteomalacia, Anorexia,

Lactation stress, Egg breakage, Supportive therapy during diseases etc.ns.

Recommended usage:

Layers: 10-20 ml per 100 birds daily

Broilers & Breeders: 20-30 ml per 100 birds daily

as Advised by a Poultry consultant

GUTLACT

Lactobacillus Strains to Improve Gut Health and Nutrient Absorption



PRESENTATION: 1 Kg

500 Billions cfu/100g Lactobacillus acidophilus, Lactobacillus brevis, Lactobacillus bulgaricus Lactobacillus casei, Lactobacillus delbrueckii. Lactobacillus fermentum, Lactobacillus halveticus. Lactobacillus plantarum, Lactobacillus rhamnosus oifidobacterium bifidum, Bacillus licheniformis.

BENEFITS:

- >GUTLACT maintains gut health, enhances enzymatic
- mediated feed digestion, improves FCR and survival rate.

 > GUTLACT helps to gain more body weight in broilers as well
- as helps to yield more eggs in layers. GUTLACT Prevents microbial disease outbreaks and reduces
- GUTLACT improves litter quality with low levels of nitrogen and ammonia

DOSAGE: 500 gm/ton of feed (or) as advised by a Poultry consultant.

OVITONE

Improves Egg Production



PRESENTATION: 1 Kg

CONTAINS:

Withania somnnifera, Cimicifuga recemosa Allium sativum Cinnamomum Pusatilla nigricans Cinnamomum zeylanicum Solanum nigrum Zingiber officinale Mentha globus

BENEFITS:

>OVITONE increases the utilization of the limit-fed diet and improve egg production.

- >OVITONE improves the egg production rate, egg weight and egg mass output.
- Dietary supplementation of OVITONE increases of laying rate. > Reduces possibility of egg shell cracking
- ➤ Improve settable egg percentage in breeders
- > It controls the animal gut infection, pathogenic load and increase the nutrient absorption rate.

DOSAGE/SCHEDULE/METHOD of APPLICATION

OVITONE should be given 10 days in a month During drop in production give for 21 days Feed: 200g/ton of feed (or) as advised by a Poultry consultar

VITATUNE

PRESENTATION: 1 Ltr

Vitamin& Amino acid Supplement for Best growth performance



Leucine Phenylalanine

- BENEFITS: Glycine
- It Promotes the nerve and brain function and keeps the animal in active conditio and bones.
- It improves the total performance breeders including hatchability and fertility.
- Enhances production of hormones, RBC cells and quality eggs. It effectively prevents the infections thus helps in maintenance of good health

(3)

PRESENTATION: 1 Kg

DOSAGE/SCHEDULE OF APPLICATION: Per ton of Feed: Layers: 250g - 300g,

Broilers: 300g - 400g Breeders: 400g -500g (or) as advised by a veterinarian.

ANTIDIA

Natural Probiotic Treatment



PRESENTATION: 1 Kg

CONTAINS:

200 Billions CFU /100 g

Saccharomyces species Bifidobacterium species

Lactobacillsu species

- INDICATIONS/BENEFITS: ANTIDIA Modify of the intestinal Microbiota and Stimulation of the Immune system.
- > ANTIDIA Reduces inflammatory reactions and decrease in ammonia and urea excretion.
- ANTIDIA helps in colonization of animal gastro intestinal tract and controls the Pathogenic microorganisms such as E. coli and Salmonella etc., which are responsible for Diarrhea disease.
- ANTIDIA Produces secondary molecules which show anti-inflammatory properties thus helps in controlling of inflammatory bowel disease or irritable bowel syndrome.

DOSAGE/METHOD OF APPLICATION:

250-500 gm/metric ton of feed Breeders: 500 gm/metric ton of feed (or) as advised by a Poultry consultant

COCCICON

An effective compound to Control Coccidia



PRESENTATION: 1 Kg

CONTAINS: Maduramicir

INDICATIONS:

- > It is very effectively prevent the growth of coccidia (i.e. Sporozoites, Trophozoites & Schizonts.)
- It is a safe and secure compound to control the Coccidia parasites at all stages.
- It boosts up the animal growth by controlling of Coccidia. DOSAGE/METHOD OF APPLICATION

Layers: 500 gms. per ton of feed 1st day to14 weeks. Broilers: 500 gms. per ton of feed from 1st day to Before 1st week of marketing (or) as advised by a poultry consultant.

E-SEL

Selenium Supplement for



CONTAINS: Vitamin E Selenium Folic acid

BENEFITS:

Advantages of organic Se in the broiler diet include increa Se transfer to the muscles and the build-up of Se reserves in the body, which is expected to result in improved chicken resistance to various stresses and to have a positive effect on immunity, gut health, and meat quality.

- E-SEL Strengthens the immune system and reduces the disease outbreaks.
- E-SEL Improves the fertility power and hatchability in animals.
- E-SEL Reduces the animal stress and improves growth.
 Supplementation of E-SEL controls the mortality rate and maximizes the egg production in layers and meat production.

DOSAGE/METHOD OF APPLICATION : PRESENTATION: : 1 Kg

100-200 G/Ton of feed (or) as advised by a poultry consultant

Poultry Products



Enzyme Mixture to promote for better feed digestion



PRESENTATION: 1 Kg

CONTAINS:

Xylanase Protease
Pectinase Amylase
Cellulase Beta Glucanase
Lipase

BENEFITS:

- Feed supplementation of ENZOMAX involves in breakdown of macro nutrients (starch, proteins, lipids and cholesterols) to bio
- >ENZOMAX enhances the feed intake rate, nutrient utility and improves the weight gain in short period.
- > ENZOMAX minimizes the ammonia formation in animal gut and improves the manure quality.
- Regular supplementation of ENZOMAX maintains constant animal health, activeness through providing of easy bio-available nutrients.



CONTAINS:

(Each 5 BillionCFU/G)

Yeast Cell Wall Extract

Saccharomyces boulardii

Saccharomyces cerevisiae

DOSAGE:
Poultry feed: 500 gm/ton of feed, continuously (or) as advised by a poultry Consultant.

MICRONIL

A Versatile Cleaning Microbial Disinfectanting Agent



PRESENTATION: 1 L, 5 L & 20 L

Propylgallate Butylated hydroxyanisole

CONTAINS:

BenzalKonium Chloride

Glutaraldehyde solution

BENEFITS:

> It shows multiple disinfecting activities towards in killing of surfaces of floor, walls and scales of deposits


> It kills and removes the pathogenic microbial spore's bio-films from surface areas of contaminated spots.

DOSAGE/ SCHEDULE OF APPLICATION:

Pre Cleaning of Poultry farms: 5 ml per 1 L

for floor mopping: 10ml/1 Ltr

(or) as advised by a Poultry consultant.



ACTI-YEAST

ANIMAL HEALTH ENHANCER



PRESENTATION: 1 Kg


BENEF

- > Reduce pathogenic load of E.coli, Salmonella, C.perfringens, etc.
- ➤ Induces gut eubiosis
- > Neutralizes bacterial endotoxins
- >Stimulates gut immunity
- > Improves FCR, enhances production efficiency

Dosage/Schedule/Method of Application

bouge, concurre, ricinou or rippincuron			
Commercial Broiler	Pre-Starter-500g/Ton Feed	Starter-1000g/Ton Feed	Finisher-1000g/Ton Feed
Commercial Layer	Chick-500g/Ton Feed	Grower- 1000g/Ton Feed	Layer-500g/Ton Feed
Breeder	Chick-500g/Ton Feed	Grower- 1000g/Ton Feed	Layer-500g/Ton Feed
	Commercial Broiler Commercial Layer	Commercial Broiler Pre-Starter-500g/Ton Feed Commercial Layer Chick-500g/Ton Feed	Commercial Broiler Pre-Starter-500g/Ton Feed Starter-1000g/Ton Feed Commercial Layer Chick-500g/Ton Feed Grower- 1000g/Ton Feed







Manufactured & Marketed by: APPLE BIO TECHNOLOGIES

141/B, Road No. 14, IDA Mallapur, Hyderabad - 500 076. E-mail: apbiotech2002@gmail.com